



VSAN AGRO®

VSAN AGRO & DAIRY EQUIPMENTS



VSAN AGRO®

VSAN AGRO & DAIRY EQUIPMENTS

Unit - I. No.10, RajaRajan Nagar Ext, Krishna Industrial Estate, Vanagaram, Chennai - 95.
Mob:+91-73388 88917 | E-mail:vsanagro@gmail.com | Website:www.vsanagro.com

Unit - II. No 1/474 A, Avinashi Bypass,Muthalipalayam Pirivu (Opp),
Neelambur, Coimbatore-641062. Mob:+91-73977 58184 | Email:vsanagrocbe@gmail.com

Unit -III - No 17, S.K salai Pandi kovil Ring Road, Sivaganga Bypass, Madurai-625 020.
Mob:8056056736 | E-mail:vsanagromdu@gmail.com





About Company

VSAN AGRO and Dairy Equipments stands as the foremost manufacturer in the field, specializing in a range of top-tier agricultural and dairy machinery. Our product portfolio encom-passes cutting-edge milking machines, precision-engineered chaff cutters, powerful weeders, Sprayers and gardening tools At VSAN AGRO, we prioritize quality and reliability. This commitment to excel-lence is reflected in our extensive network, comprising over 200 dealers and direct connections with more than 40,000 farmers across the nation. To ensure that our products meet the evolving needs of farmers, we actively engage in direct farmer review meetings. These gatherings provide us with invaluable insights into the latest technological requirements, allowing us totailor our offerings to better serve the agricultural community, with an unwavering focus on customer satisfaction and a robust supply chain spanning every corner of India, we are proud to serve over 40,000 satisfied customers, solidifying our position as a trusted leader in the industry.

POWER WEEDERS



MILKING MACHINES



CHAFF CUTTERS





POWER WEEDERS



SPECIFICATION

	Mini Weeder	Uranus G22	Tautra Blue	Uranus Super Power
HP/CC	3 HP/68 CC	7 HP/212 CC	7 HP /230 CC	7 HP /247 CC
RPM	1440	3600	3600	3600
FUEL CAPACITY	Petrol	Petrol/3 LTR	Petrol/3 LTR	Diesel/3 LTR
ENGINE SPEC.	2 Stroke Engine	4 Stroke Engine, Single Cylinder, Air Cooled Engine	4 Stroke Engine, Single Cylinder, Air Cooled Engine	4 Stroke Engine, Single Cylinder, Air Cooled Engine
ROTARY TYPE	Center Torary	Center Rotary	Center Rotary	Center Rotary
STARTING METHOD	Manual Recoil Starter	Manual Recoil Starter	Manual Recoil Starter	Manual Recoil Starter
NO OF GEARS	Non Gear Tyoe	2 Gear,1 Reverse	2 Gear,1 Reverse	2 Gear,1 Reverse
WEEDING WITDH/DEPTH	1.5 Feet	3 Feet/4 Inch	3 Feet/4 Inch	3 Feet/4 Inch
MILEAGE	600 ML/HOUR	900 ML/HOUR	900 ML/HOUR	900 ML/HOUR
WEIGHT	35 KG	85 KG	90 KG	95 KG
TRANSMISSION TYPE	Non Gear	Gear	Gear	Gear
ATTACHMENTS	16 Blades	32 Blades, Adjustable Ridger	32 Blades, Adjustable Ridger	32 Blades, Adjustable Ridger

SPECIFICATION

	Blue Bull	Jupiter 620 Z	Himalayan 900 E-BR
HP/CC	9.5 HP /412 CC	7.5 HP /247 CC	9.5 HP /412 CC
RPM	3600	3600	3600
FUEL CAPACITY	Diesel /5.5 LTR	Diesel/4 LTR	Diesel/5.5 LTR
ENGINE SPEC.	4 Stroke Engine, Single Cylinder, Air Cooled Engine	4 Stroke Engine, Single Cylinder, Air Cooled Engine	4 Stroke Engine, Single Cylinder, Air Cooled Engine
ROTARY TYPE	Center Rotary	Back Rotary	Back Rotary
STARTING METHOD	Self Start/manual Recoiler	Manual Recoiler	Self Start/Manual Recoiler
NO OF GEARS	2 Gear,1 Reverse	2 Gear,1 Reverse	2 Gear,1 Reverse
WEEDING WITDH/DEPTH	4 Feet/6 Inch	3 Feet/4 Inch	4 Feet/6 Inch
MILEAGE	1 L/HOUR	900 ML/HOUR	1 L/HOUR
WEIGHT	130 KG	90 KG	150 KG
TRANSMISSION TYPE	Gear	Gear	Gear
ATTACHMENTS	40 Blades, Adjustable Ridger	16 Weeding Blade, Ditching Blade 1 Set, Gage Wheel Set 1	64 Weeding Blade, Ditching Blade 1 Set, Gage Wheel Set 1



CHAFF CUTTER

MILKING MACHINE



SPECIFICATION	Mini Chaff Cutter	Chop King 1.5 HP	Chop King 2 HP	2 HP Flywheel Chaff Cuter
TYPE	Non Gear	Gear Wheel System	Gear Wheel System	Gear Wheel System
MOTOR	1 HP	1.5 HP	2.HP	2 HP
BLADE	2 Blade	2 Blade 2 Roller	2 Blade 2 Roller	2 Blade 2 Roller
CUTTING SIZE	¾ To 1 Inch	½ To ¾ Inch	½ To ¾ Inch	½ To ¾ Inch
OUTPUT CAPACITY/HOUR	400/HOUR	600/HOUR	800/HOUR	800/hour
FEED	Dry /green	Dry/green	Dry /green	Dry/green

SPECIFICATION	Manual Milking Machine	Chotta Boy	2 In 1 Milking Machine
POWER	-	0.25 HP	0.25 HP
METHOD	PISTON TYPE	PISTON TYPE	PISTON TYPE
TYPE	Hand Pump	MOTOR	HAND PUMP+ MOTOR OPERATED
CAN CAPACITY	10 LTR	10 LTR	10 LTR
SUITS FOR	2 Cows/buffalow	5 COWS/BUFFALOW	5 COWS/BUFFALOW



MILKING MACHINE



CREAM SEPARATOR



PULSATOR TYPE MILKING MACHINE

SPECIFICATION	Rapid 100	Thunder Boy	Marathon	Fixed Pipe Line
MOTOR	0.5 HP-mono Block	0.5 HP-mono Block	1 HP Mono Block	2 HP Mono Block
PUMP	150 LPM	150 LPM	200 LPM	300 LPM
MILK CAN	20 LTR	20 LTR	40 LTR	40 LTR
PULSATOR	40/60	40/60	40/60	40/60
TYPE	Trolley	Trolley	Trolley	Fixed
ENGINE	-	7 HP Petrol	7 HP Petrol	7 HP Petrol
SUITS FOR	5-15 Cows/buffalow	5-20 Cows/buffalow	15-25 Cows/buffalow	20-40 Cow/buffalow
WEIGHT	30 Kg	60 Kg	75 Kg	85 Kg

SPECIFICATION	165 LPH	500 LPH	700 LPH
MOTOR	0.5 HP	1 HP	2 HP
TANK CAPACITY	20 LTR	40 LTR	60 LTR
OUTPUT	165 LTR/HOUR	500 LTR/HOUR	700 LTR/HOUR
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel



SPECIFICATION	MINI 100
MOTOR	0.25 HP-Mono Block
PUMP	100 LPM
MILK CAN	20 LTR
PULSATOR	40/60
TYPE	Non Trolley
SUITS FOR	1-10 Cows/Buffalow
WEIGHT	25



Chain Saw

Chainsaw, 58cc,
22 inch guide bar,
Ruixing Carburator,
ItalianTechnology



Electric Chain Saw

Agriculture saw 72
Chainsaw, 62cc, 22 inch
guide bar, Ruixing
Carburator, ItalianTechnology



52 CC 2 Stroke Side Bag

2 BRUSHCUTTER
(2 Stroke), 52CC,
Tap n go, Two point
blade Italian Technology



12 Teeth Manual Seeder

12 Teeth

14 Teeth Manual Seeder

14 Teeth

Single Teeth Manual Seeder

Single Teeth

Double Teeth Manual Seeder

Double teeth



Lawn mover

Manual Push, 135cc, Petrol 4 stroke Cutting Height - 25-65mm
Cutting Width - 500mm




52 CC 2 Stroke Back Bag

Backpack BRUSHCUTTER
(2 Stroke) 52CC, Tap n go,
2 Point Blade Italian
Technology



38 CC 4 Stroke Side Bag

28mm ,BRUSHCUTTER (4 Stroke)
Honda Copy, 37.7CC, Big Dint
Carburator, STEEL HANDLE,
Heavy handle joint Tap n go, 80TCT
blade, 2 point blade, Double Side Belt,
Paddy Guard, ItalianTechnology



38 CC 4 Stroke Back Bag

2 BRUSHCUTTER
(2 Stroke), 52CC,
Tap n go, Two point
blade Italian Technology



Thermal Fogger Sprayer

1.Working Environment: Temperature Between -10°C-35°C,
Air Humidity 80%- 30% 2.Spraying Amount: 20- 120L/H 3.
Pesticide Solution Tank Volume:15L 4.Fuel Tank Volume:2.0L



Agriculture Hole Digger

63cc high performance 2 stroke engine Italian Technology



Bit 200 mm 8" drill bit

8 inch bit

Bit 250 mm 10" drill bit

10 inch bit

Bit 300 mm 12" drill bit

12 inch bit

Petrol 170 pulley

7 HP



1 Ltr Hand Sprayer

Sprayer 1 Liter (Pressure) 1 Liter Manual Pressure Sprayer

1.5 Ltr Hand Sprayer

Sprayer 1.5 Liter (Pressure) 1.5 Liter Manual Pressure Sprayer

2 Ltr Hand Sprayer

Sprayer 2 Liter (Pressure) 1 Liter Manual Pressure Sprayer

5 Ltr Hand Sprayer

Sprayer 5 Liter (Pressure) 1 Liter Manual Pressure Sprayer

8 Ltr Hand Sprayer

Sprayer 8 Liter (Pressure) 1 Liter Manual Pressure Sprayer



Engine

7 HP Petrol Engine



Engine

Diesel 173 Weeder Engine



Engine

Diesel 186 Weeder Engine



Agricultural Sprayer PSP 22

100 CC Petrol Engine+ HTP 18 50 meter delivery Hose 5 Ply 2 feet Straight gun, 5m Suction & Overflow hose Korean Technology



Agricultural Sprayer PSE 22

1.5 Kw Electric Motor + Black Frame +HTP 22 25 Meter Delivery Hose, High Pressure Cleaning gun "A5", 5m Suction & Overflow Hose Korean Technology



Agriculture Water Pump WPP 20

5.5 HP Petrol Engine, 2 inch x 2 inch pump, Head 6m /22m, Japan Technology



Agriculture Water Pump WPP 30

196 CC Petrol Engine, 3 inch x 3 inch pump, Head 6m/24m, Japan Technology



Power Sprayer 716

16 Liter, 2 Stroke, Bigdint TU 26 Engine, Japan Technology



Agricultural Sprayer PSE 30

2.2 Kw Electric Motor + Black Frame +HTP 30 25 Meter Delivery Hose, High Pressure Cleaning gun "A5", 5m Suction & Overflow Hose Korean Technology



Portable Battery Sprayer

12v-12ah Portable Battery Sprayer, 8lpm Double Motor, 10 meter delivery hose, 1 feet gun



Power Sprayer 702

20 Liter, 2 Stroke, Bigdint, Easy Start (708 model) TU26 Engine, With Big Pump assembly Japan Technology



Power Sprayer 835

25 Liter, 2 Stroke, Bigdint, Easy Start (708 model) TU26 Engine, With Big Pump assembly Japan Technology



Car washer

Copper winding + 12 meter delivery hose Pressure - 150 bar Flow - 6-8 lpm Power - 1.6 kw Power 220- wat



Manual Sprayer

16 Liter Tank, MANUAL Sprayer



Battery Sprayer

12v-12ah Battery, 16 Liter Tank, 5W LED, Gloves, Eye Shield Glass, Brass Joint Lance, Heavy Quality Trigger and Nozzles